

### Test Report

Page 1 of 3

Report Number : Q220003aR221930

Job Number : R221930

Issue Date : 08/12/2022

Applicant Name : Acuity Sustainability Consulting Limited

Applicant Address : Unit E, 12/F, Ford Glory Plaza, No. 37-39 Wing Hong Street,  
Cheung Sha Wan, Kowloon, Hong Kong

Project Name : Hung Shui Kiu/Ha Tsuen New Development Area Stage 1 Works

Test Required : Total Suspended Solids (TSS)

Sampling Date : 06/12/2022

Date Samples Received : 06/12/2022

Sample Nature : Wastewater

Number of Samples Received : 12

Condition Received : Sample(s) arrived laboratory in chilled condition

Type of Container : HDPE Plastic Bottles

Laboratory ID : R221930/1 – 12

Test Period : 06/12/2022 – 07/12/2022


Method Used : APHA 23ed 2540D for Total Suspended Solids

Test Result : Refer to the results on page 2 – 3.

*For and on behalf of*

Acumen Laboratory and Testing Limited

Authorized Signature :

  
Hui Wai Fung, Huntington

Laboratory Manager

Chemical and Microbiological Division

### Test Report

Page 2 of 3

Report Number : Q220003aR221930  
Job Number : R221930  
Issue Date : 08/12/2022

### Test Result:

Lab ID	Sampling Date	Client Sample ID	Total Suspended Solids (TSS), mg/L
R221930/1	06/12/2022	U2	1.5
R221930/2	06/12/2022	U2#	1.4
R221930/3	06/12/2022	U1	1.2
R221930/4	06/12/2022	U1#	1.7
R221930/5	06/12/2022	SW	16
R221930/6	06/12/2022	SW#	11
R221930/7	06/12/2022	HT	3.5
R221930/8	06/12/2022	HT#	3.3
R221930/9	06/12/2022	TKW1	<1
R221930/10	06/12/2022	TKW1#	3.1
R221930/11	06/12/2022	TKW	7.1
R221930/12	06/12/2022	TKW#	5.7

## Acumen Laboratory and Testing Limited

Flat/Rm D, 12/F, Ford Glory Plaza, Nos. 37-39 Wing Hong Street, Cheung Sha Wan, Kowloon, Hong Kong  
Tel: (852) 2333 6823 Fax: (852) 2333 1316

### Test Report

Page 3 of 3

Report Number : Q220003aR221930

Job Number : R221930

Issue Date : 08/12/2022

**Note:**

1. mg/L indicates milligram per liter
2. < indicates less than.
3. Reporting limit is 2.5mg/L for 1L sample
4. Reporting limit is 1 mg/L for 2.5L sample
5. Applicant name, applicant address, project name, sampling date, sample ID and sample nature are provided by applicant.
6. The result(s) relate only to the item(s) tested.
7. The result(s) are applied only to the sample(s) received.

\*\*\*End of Report\*\*\*

### Test Report

Page 1 of 3

Report Number : Q220003aR221940

Job Number : R221940

Issue Date : 13/12/2022

Applicant Name : Acuity Sustainability Consulting Limited

Applicant Address : Unit E, 12/F, Ford Glory Plaza, No. 37-39 Wing Hong Street,  
Cheung Sha Wan, Kowloon, Hong Kong

Project Name : Hung Shui Kiu/Ha Tsuen New Development Area Stage 1 Works

Test Required : Total Suspended Solids (TSS)

Sampling Date : 08/12/2022

Date Samples Received : 08/12/2022

Sample Nature : Wastewater

Number of Samples Received : 12

Condition Received : Sample(s) arrived laboratory in chilled condition

Type of Container : HDPE Plastic Bottles

Laboratory ID : R221940/1 – 12

Test Period : 08/12/2022 – 09/12/2022


Method Used : APHA 23ed 2540D for Total Suspended Solids

Test Result : Refer to the results on page 2 – 3.

*For and on behalf of*

Acumen Laboratory and Testing Limited

Authorized Signature :

  
\_\_\_\_\_  
Hui Wai Fung, Huntington  
Laboratory Manager  
Chemical and Microbiological Division



### Test Report

Page 2 of 3

Report Number : Q220003aR221940  
Job Number : R221940  
Issue Date : 13/12/2022

### Test Result:

Lab ID	Sampling Date	Client Sample ID	Total Suspended Solids (TSS), mg/L
R221940/1	08/12/2022	U2	3.2
R221940/2	08/12/2022	U2#	2.8
R221940/3	08/12/2022	U1	8.9
R221940/4	08/12/2022	U1#	7.4
R221940/5	08/12/2022	SW	8.2
R221940/6	08/12/2022	SW#	6.5
R221940/7	08/12/2022	HT	1.6
R221940/8	08/12/2022	HT#	1.6
R221940/9	08/12/2022	TKW1	1.5
R221940/10	08/12/2022	TKW1#	1.9
R221940/11	08/12/2022	TKW	2.6
R221940/12	08/12/2022	TKW#	2.5

### Test Report

Page 3 of 3

Report Number : Q220003aR221940  
Job Number : R221940  
Issue Date : 13/12/2022

Note:

1. mg/L indicates milligram per liter
2. < indicates less than.
3. Reporting limit is 2.5mg/L for 1L sample
4. Reporting limit is 1 mg/L for 2.5L sample
5. Applicant name, applicant address, project name, sampling date, sample ID and sample nature are provided by applicant.
6. The result(s) relate only to the item(s) tested.
7. The result(s) are applied only to the sample(s) received.

\*\*\*End of Report\*\*\*

### Test Report

Page 1 of 3

Report Number : Q220003aR221946

Job Number : R221946

Issue Date : 16/12/2022

Applicant Name : Acuity Sustainability Consulting Limited

Applicant Address : Unit E, 12/F, Ford Glory Plaza, No. 37-39 Wing Hong Street,  
Cheung Sha Wan, Kowloon, Hong Kong

Project Name : Hung Shui Kiu/Ha Tsuen New Development Area Stage 1 Works

Test Required : Total Suspended Solids (TSS)

Sampling Date : 10/12/2022

Date Samples Received : 10/12/2022

Sample Nature : Wastewater

Number of Samples Received : 12

Condition Received : Sample(s) arrived laboratory in chilled condition

Type of Container : HDPE Plastic Bottles

Laboratory ID : R221946/1 – 12

Test Period : 10/12/2022 – 11/12/2022


Method Used : APHA 23ed 2540D for Total Suspended Solids

Test Result : Refer to the results on page 2 – 3.

*For and on behalf of*

Acumen Laboratory and Testing Limited

Authorized Signature :

  
Hui Wai Fung, Huntington

Laboratory Manager

Chemical and Microbiological Division

### Test Report

Page 2 of 3

Report Number : Q220003aR221946  
Job Number : R221946  
Issue Date : 16/12/2022

### Test Result:

Lab ID	Sampling Date	Client Sample ID	Total Suspended Solids (TSS), mg/L
R221946/1	10/12/2022	U2	1.3
R221946/2	10/12/2022	U2#	2.9
R221946/3	10/12/2022	U1	3.4
R221946/4	10/12/2022	U1#	4.1
R221946/5	10/12/2022	SW	4.0
R221946/6	10/12/2022	SW#	4.7
R221946/7	10/12/2022	HT	1.5
R221946/8	10/12/2022	HT#	1.0
R221946/9	10/12/2022	TKW1	4.4
R221946/10	10/12/2022	TKW1#	4.4
R221946/11	10/12/2022	TKW	4.3
R221946/12	10/12/2022	TKW#	4.2

### Test Report

Page 3 of 3

Report Number : Q220003aR221946  
Job Number : R221946  
Issue Date : 16/12/2022

**Note:**

1. mg/L indicates milligram per liter
2. < indicates less than.
3. Reporting limit is 2.5mg/L for 1L sample
4. Reporting limit is 1 mg/L for 2.5L sample
5. Applicant name, applicant address, project name, sampling date, sample ID and sample nature are provided by applicant.
6. The result(s) relate only to the item(s) tested.
7. The result(s) are applied only to the sample(s) received.

\*\*\*End of Report\*\*\*

### Test Report

Page 1 of 3

Report Number : Q220003aR221970

Job Number : R221970

Issue Date : 16/12/2022

Applicant Name : Acuity Sustainability Consulting Limited

Applicant Address : Unit E, 12/F, Ford Glory Plaza, No. 37-39 Wing Hong Street,  
Cheung Sha Wan, Kowloon, Hong Kong

Project Name : Hung Shui Kiu/Ha Tsuen New Development Area Stage 1 Works

Test Required : Total Suspended Solids (TSS)

Sampling Date : 13/12/2022

Date Samples Received : 13/12/2022

Sample Nature : Wastewater

Number of Samples Received : 12

Condition Received : Sample(s) arrived laboratory in chilled condition

Type of Container : HDPE Plastic Bottles

Laboratory ID : R221970/1 – 12

Test Period : 13/12/2022 – 14/12/2022


Method Used : APHA 23ed 2540D for Total Suspended Solids

Test Result : Refer to the results on page 2 – 3.

*For and on behalf of*

Acumen Laboratory and Testing Limited

Authorized Signature :

  
Hui Wai Fung, Huntington

Laboratory Manager

Chemical and Microbiological Division

### Test Report

Page 2 of 3

Report Number : Q220003aR221970  
Job Number : R221970  
Issue Date : 16/12/2022

### Test Result:

Lab ID	Sampling Date	Client Sample ID	Total Suspended Solids (TSS), mg/L
R221970/1	13/12/2022	U2	3.4
R221970/2	13/12/2022	U2#	3.6
R221970/3	13/12/2022	U1	98
R221970/4	13/12/2022	U1#	77
R221970/5	13/12/2022	SW	3.6
R221970/6	13/12/2022	SW#	3.9
R221970/7	13/12/2022	HT	8.3
R221970/8	13/12/2022	HT#	7.3
R221970/9	13/12/2022	TKW1	3.4
R221970/10	13/12/2022	TKW1#	3.0
R221970/11	13/12/2022	TKW	3.9
R221970/12	13/12/2022	TKW#	3.2



## Acumen Laboratory and Testing Limited

Flat/Rm D, 12/F, Ford Glory Plaza, Nos. 37-39 Wing Hong Street, Cheung Sha Wan, Kowloon, Hong Kong  
Tel: (852) 2333 6823 Fax: (852) 2333 1316



### Test Report

Page 3 of 3

Report Number : Q220003aR221970  
Job Number : R221970  
Issue Date : 16/12/2022

**Note:**

1. mg/L indicates milligram per liter
2. < indicates less than.
3. Reporting limit is 2.5mg/L for 1L sample
4. Reporting limit is 1 mg/L for 2.5L sample
5. Applicant name, applicant address, project name, sampling date, sample ID and sample nature are provided by applicant.
6. The result(s) relate only to the item(s) tested.
7. The result(s) are applied only to the sample(s) received.

\*\*\*End of Report\*\*\*



### Test Report

Page 1 of 3

Report Number : Q220003aR221980

Job Number : R221980

Issue Date : 20/12/2022

Applicant Name : Acuity Sustainability Consulting Limited

Applicant Address : Unit E, 12/F, Ford Glory Plaza, No. 37-39 Wing Hong Street,  
Cheung Sha Wan, Kowloon, Hong Kong

Project Name : Hung Shui Kiu/Ha Tsuen New Development Area Stage 1 Works

Test Required : Total Suspended Solids (TSS)

Sampling Date : 15/12/2022

Date Samples Received : 15/12/2022

Sample Nature : Wastewater

Number of Samples Received : 12

Condition Received : Sample(s) arrived laboratory in chilled condition

Type of Container : HDPE Plastic Bottles

Laboratory ID : R221980/1 – 12

Test Period : 15/12/2022 – 16/12/2022

Method Used : APHA 23ed 2540D for Total Suspended Solids

Test Result : Refer to the results on page 2 – 3.

*For and on behalf of*

Acumen Laboratory and Testing Limited

Authorized Signature :



Hui Wai Fung, Huntington

Laboratory Manager

Chemical and Microbiological Division

### Test Report

Page 2 of 3

Report Number : Q220003aR221980

Job Number : R221980

Issue Date : 20/12/2022

### Test Result:

Lab ID	Sampling Date	Client Sample ID	Total Suspended Solids (TSS), mg/L
R221980/1	15/12/2022	U2	<1
R221980/2	15/12/2022	U2#	1.6
R221980/3	15/12/2022	U1	7.1
R221980/4	15/12/2022	U1#	7.1
R221980/5	15/12/2022	SW	8.6
R221980/6	15/12/2022	SW#	8.8
R221980/7	15/12/2022	HT	8.3
R221980/8	15/12/2022	HT#	7.6
R221980/9	15/12/2022	TKW1	7.9
R221980/10	15/12/2022	TKW1#	7.2
R221980/11	15/12/2022	TKW	5.3
R221980/12	15/12/2022	TKW#	5.1

### Test Report

Page 3 of 3

Report Number : Q220003aR221980  
Job Number : R221980  
Issue Date : 20/12/2022

Note:

1. mg/L indicates milligram per liter
2. < indicates less than.
3. Reporting limit is 2.5mg/L for 1L sample
4. Reporting limit is 1 mg/L for 2.5L sample
5. Applicant name, applicant address, project name, sampling date, sample ID and sample nature are provided by applicant.
6. The result(s) relate only to the item(s) tested.
7. The result(s) are applied only to the sample(s) received.

\*\*\*End of Report\*\*\*

### Test Report

Page 1 of 3

Report Number : Q220003aR221981

Job Number : R221981

Issue Date : 20/12/2022

Applicant Name : Acuity Sustainability Consulting Limited

Applicant Address : Unit E, 12/F, Ford Glory Plaza, No. 37-39 Wing Hong Street,  
Cheung Sha Wan, Kowloon, Hong Kong

Project Name : Hung Shui Kiu/Ha Tsuen New Development Area Stage 1 Works

Test Required : Total Suspended Solids (TSS)

Sampling Date : 17/12/2022

Date Samples Received : 17/12/2022

Sample Nature : Wastewater

Number of Samples Received : 12

Condition Received : Sample(s) arrived laboratory in chilled condition

Type of Container : HDPE Plastic Bottles

Laboratory ID : R221981/1 – 12

Test Period : 17/12/2022 – 18/12/2022

Method Used : APHA 23ed 2540D for Total Suspended Solids

Test Result : Refer to the results on page 2 – 3.

*For and on behalf of*

Acumen Laboratory and Testing Limited

Authorized Signature :



Hui Wai Fung, Huntington

Laboratory Manager

Chemical and Microbiological Division

### Test Report

Page 2 of 3

Report Number : Q220003aR221981  
Job Number : R221981  
Issue Date : 20/12/2022

### Test Result:

Lab ID	Sampling Date	Client Sample ID	Total Suspended Solids (TSS), mg/L
R221981/1	17/12/2022	U2	1.0
R221981/2	17/12/2022	U2#	1.2
R221981/3	17/12/2022	U1	5.2
R221981/4	17/12/2022	U1#	3.7
R221981/5	17/12/2022	SW	1.4
R221981/6	17/12/2022	SW#	1.3
R221981/7	17/12/2022	HT	3.4
R221981/8	17/12/2022	HT#	3.3
R221981/9	17/12/2022	TKW1	2.2
R221981/10	17/12/2022	TKW1#	1.9
R221981/11	17/12/2022	TKW	4.1
R221981/12	17/12/2022	TKW#	4.1

### Test Report

Page 3 of 3

Report Number : Q220003aR221981  
Job Number : R221981  
Issue Date : 20/12/2022

Note:

1. mg/L indicates milligram per liter
2. < indicates less than.
3. Reporting limit is 2.5mg/L for 1L sample
4. Reporting limit is 1 mg/L for 2.5L sample
5. Applicant name, applicant address, project name, sampling date, sample ID and sample nature are provided by applicant.
6. The result(s) relate only to the item(s) tested.
7. The result(s) are applied only to the sample(s) received.

\*\*\*End of Report\*\*\*



## Acumen Laboratory and Testing Limited

Flat/Rm D, 12/F, Ford Glory Plaza, Nos. 37-39 Wing Hong Street, Cheung Sha Wan, Kowloon, Hong Kong  
Tel: (852) 2333 6823 Fax: (852) 2333 1316



### Test Report


Page 1 of 3

Report Number : Q220003aR221999  
Job Number : R221999  
Issue Date : 28/12/2022  
Applicant Name : Acuity Sustainability Consulting Limited  
Applicant Address : Unit E, 12/F, Ford Glory Plaza, No. 37-39 Wing Hong Street,  
Cheung Sha Wan, Kowloon, Hong Kong  
Project Name : Hung Shui Kiu/Ha Tsuen New Development Area Stage 1 Works  
Test Required : Total Suspended Solids (TSS)  
Sampling Date : 20/12/2022  
Date Samples Received : 20/12/2022  
Sample Nature : Wastewater  
Number of Samples Received : 12  
Condition Received : Sample(s) arrived laboratory in chilled condition  
Type of Container : HDPE Plastic Bottles  
Laboratory ID : R221999/1 – 12  
Test Period : 20/12/2022 – 21/12/2022  
Method Used : APHA 23ed 2540D for Total Suspended Solids  
  
Test Result : Refer to the results on page 2 – 3.

*For and on behalf of*

Acumen Laboratory and Testing Limited

Authorized Signature :

  
Hui Wai Fung, Huntington

Laboratory Manager

Chemical and Microbiological Division

## Acumen Laboratory and Testing Limited

Flat/Rm D, 12/F, Ford Glory Plaza, Nos. 37-39 Wing Hong Street, Cheung Sha Wan, Kowloon, Hong Kong  
Tel: (852) 2333 6823 Fax: (852) 2333 1316

HOKLAS 241  
TEST

### Test Report

Page 2 of 3

Report Number : Q220003aR221999

Job Number : R221999

Issue Date : 28/12/2022

### Test Result:

Lab ID	Sampling Date	Client Sample ID	Total Suspended Solids (TSS), mg/L
R221999/1	20/12/2022	U2	1.7
R221999/2	20/12/2022	U2#	2.0
R221999/3	20/12/2022	U1	4.8
R221999/4	20/12/2022	U1#	4.7
R221999/5	20/12/2022	SW	2.9
R221999/6	20/12/2022	SW#	2.5
R221999/7	20/12/2022	HT	2.1
R221999/8	20/12/2022	HT#	2.5
R221999/9	20/12/2022	TKW1	1.7
R221999/10	20/12/2022	TKW1#	1.8
R221999/11	20/12/2022	TKW	2.8
R221999/12	20/12/2022	TKW#	2.9





## Acumen Laboratory and Testing Limited

Flat/Rm D, 12/F, Ford Glory Plaza, Nos. 37-39 Wing Hong Street, Cheung Sha Wan, Kowloon, Hong Kong  
Tel: (852) 2333 6823 Fax: (852) 2333 1316



### Test Report

Page 3 of 3

Report Number : Q220003aR221999  
Job Number : R221999  
Issue Date : 28/12/2022

Note:

1. mg/L indicates milligram per liter
2. < indicates less than.
3. Reporting limit is 2.5mg/L for 1L sample
4. Reporting limit is 1 mg/L for 2.5L sample
5. Applicant name, applicant address, project name, sampling date, sample ID and sample nature are provided by applicant.
6. The result(s) relate only to the item(s) tested.
7. The result(s) are applied only to the sample(s) received.

\*\*\*End of Report\*\*\*

### Test Report

Page 1 of 3

Report Number : Q220003aR222000

Job Number : R222000

Issue Date : 28/12/2022

Applicant Name : Acuity Sustainability Consulting Limited

Applicant Address : Unit E, 12/F, Ford Glory Plaza, No. 37-39 Wing Hong Street,  
Cheung Sha Wan, Kowloon, Hong Kong

Project Name : Hung Shui Kiu/Ha Tsuen New Development Area Stage 1 Works

Test Required : Total Suspended Solids (TSS)

Sampling Date : 22/12/2022

Date Samples Received : 22/12/2022

Sample Nature : Wastewater

Number of Samples Received : 12

Condition Received : Sample(s) arrived laboratory in chilled condition

Type of Container : HDPE Plastic Bottles

Laboratory ID : R222000/1 – 12

Test Period : 22/12/2022 – 23/12/2022


Method Used : APHA 23ed 2540D for Total Suspended Solids

Test Result : Refer to the results on page 2 – 3.

*For and on behalf of*

Acumen Laboratory and Testing Limited

Authorized Signature :

  
Hui Wai Fung, Huntington

Laboratory Manager

Chemical and Microbiological Division

### Test Report

Page 2 of 3

Report Number : Q220003aR222000

Job Number : R222000

Issue Date : 28/12/2022

### Test Result:

Lab ID	Sampling Date	Client Sample ID	Total Suspended Solids (TSS), mg/L
R222000/1	22/12/2022	U2	1.9
R222000/2	22/12/2022	U2#	1.9
R222000/3	22/12/2022	U1	5.1
R222000/4	22/12/2022	U1#	4.9
R222000/5	22/12/2022	SW	2.8
R222000/6	22/12/2022	SW#	2.7
R222000/7	22/12/2022	HT	2.2
R222000/8	22/12/2022	HT#	2.3
R222000/9	22/12/2022	TKW1	3.3
R222000/10	22/12/2022	TKW1#	3.5
R222000/11	22/12/2022	TKW	2.9
R222000/12	22/12/2022	TKW#	3.0



## Acumen Laboratory and Testing Limited

Flat/Rm D, 12/F, Ford Glory Plaza, Nos. 37-39 Wing Hong Street, Cheung Sha Wan, Kowloon, Hong Kong  
Tel: (852) 2333 6823 Fax: (852) 2333 1316



### Test Report

Page 3 of 3

Report Number : Q220003aR222000

Job Number : R222000

Issue Date : 28/12/2022

**Note:**

1. mg/L indicates milligram per liter
2. < indicates less than.
3. Reporting limit is 2.5mg/L for 1L sample
4. Reporting limit is 1 mg/L for 2.5L sample
5. Applicant name, applicant address, project name, sampling date, sample ID and sample nature are provided by applicant.
6. The result(s) relate only to the item(s) tested.
7. The result(s) are applied only to the sample(s) received.

\*\*\*End of Report\*\*\*

### Test Report

Page 1 of 3

Report Number : Q220003aR222025

Job Number : R222025

Issue Date : 29/12/2022

Applicant Name : Acuity Sustainability Consulting Limited

Applicant Address : Unit E, 12/F, Ford Glory Plaza, No. 37-39 Wing Hong Street,  
Cheung Sha Wan, Kowloon, Hong Kong

Project Name : Hung Shui Kiu/Ha Tsuen New Development Area Stage 1 Works

Test Required : Total Suspended Solids (TSS)

Sampling Date : 24/12/2022

Date Samples Received : 24/12/2022

Sample Nature : Wastewater

Number of Samples Received : 12

Condition Received : Sample(s) arrived laboratory in chilled condition

Type of Container : HDPE Plastic Bottles

Laboratory ID : R222025/1 – 12

Test Period : 24/12/2022 – 26/12/2022

Method Used : APHA 23ed 2540D for Total Suspended Solids

Test Result : Refer to the results on page 2 – 3.

*For and on behalf of*

Acumen Laboratory and Testing Limited

Authorized Signature :



Hui Wai Fung, Huntington

Laboratory Manager

Chemical and Microbiological Division

### Test Report

Page 2 of 3

Report Number : Q220003aR222025

Job Number : R222025

Issue Date : 29/12/2022

### Test Result:

Lab ID	Sampling Date	Client Sample ID	Total Suspended Solids (TSS), mg/L
R222025/1	24/12/2022	U2	2.1
R222025/2	24/12/2022	U2#	2.0
R222025/3	24/12/2022	U1	4.7
R222025/4	24/12/2022	U1#	5.2
R222025/5	24/12/2022	SW	3.0
R222025/6	24/12/2022	SW#	2.8
R222025/7	24/12/2022	HT	2.2
R222025/8	24/12/2022	HT#	2.8
R222025/9	24/12/2022	TKW1	4.8
R222025/10	24/12/2022	TKW1#	4.4
R222025/11	24/12/2022	TKW	3.1
R222025/12	24/12/2022	TKW#	2.8

### Test Report

Page 3 of 3

Report Number : Q220003aR222025

Job Number : R222025

Issue Date : 29/12/2022

**Note:**

1. mg/L indicates milligram per liter
2. < indicates less than.
3. Reporting limit is 2.5mg/L for 1L sample
4. Reporting limit is 1 mg/L for 2.5L sample
5. Applicant name, applicant address, project name, sampling date, sample ID and sample nature are provided by applicant.
6. The result(s) relate only to the item(s) tested.
7. The result(s) are applied only to the sample(s) received.

\*\*\*End of Report\*\*\*

### Test Report

Page 1 of 3

Report Number : Q220003aR222076

Job Number : R222076

Issue Date : 30/12/2022

Applicant Name : Acuity Sustainability Consulting Limited

Applicant Address : Unit E, 12/F, Ford Glory Plaza, No. 37-39 Wing Hong Street,  
Cheung Sha Wan, Kowloon, Hong Kong

Project Name : Hung Shui Kiu/Ha Tsuen New Development Area Stage 1 Works

Test Required : Total Suspended Solids (TSS)

Sampling Date : 26/12/2022

Date Samples Received : 26/12/2022

Sample Nature : Wastewater

Number of Samples Received : 12

Condition Received : Sample(s) arrived laboratory in chilled condition

Type of Container : HDPE Plastic Bottles

Laboratory ID : R222076/1 – 12

Test Period : 26/12/2022 – 27/12/2022

Method Used : APHA 23ed 2540D for Total Suspended Solids

Test Result : Refer to the results on page 2 – 3.

*For and on behalf of*

Acumen Laboratory and Testing Limited

Authorized Signature :



Hui Wai Fung, Huntington

Laboratory Manager

Chemical and Microbiological Division



## Acumen Laboratory and Testing Limited

Flat/Rm D, 12/F, Ford Glory Plaza, Nos. 37-39 Wing Hong Street, Cheung Sha Wan, Kowloon, Hong Kong  
Tel: (852) 2333 6823 Fax: (852) 2333 1316

HOKLAS 241  
TEST

### Test Report

Page 2 of 3

Report Number : Q220003aR222076  
Job Number : R222076  
Issue Date : 30/12/2022

### Test Result:

Lab ID	Sampling Date	Client Sample ID	Total Suspended Solids (TSS), mg/L
R222076/1	26/12/2022	U2	4.2
R222076/2	26/12/2022	U2#	4.2
R222076/3	26/12/2022	U1	3.3
R222076/4	26/12/2022	U1#	3.4
R222076/5	26/12/2022	SW	5.3
R222076/6	26/12/2022	SW#	4.9
R222076/7	26/12/2022	HT	1.7
R222076/8	26/12/2022	HT#	1.9
R222076/9	26/12/2022	TKW1	1.0
R222076/10	26/12/2022	TKW1#	<1
R222076/11	26/12/2022	TKW	1.9
R222076/12	26/12/2022	TKW#	2.0

### Test Report

Page 3 of 3

Report Number : Q220003aR222076  
Job Number : R222076  
Issue Date : 30/12/2022

Note:

1. mg/L indicates milligram per liter
2. < indicates less than.
3. Reporting limit is 2.5mg/L for 1L sample
4. Reporting limit is 1 mg/L for 2.5L sample
5. Applicant name, applicant address, project name, sampling date, sample ID and sample nature are provided by applicant.
6. The result(s) relate only to the item(s) tested.
7. The result(s) are applied only to the sample(s) received.

\*\*\*End of Report\*\*\*

### Test Report


Page 1 of 3

Report Number : Q220003aR222077  
Job Number : R222077  
Issue Date : 04/01/2023  
Applicant Name : Acuity Sustainability Consulting Limited  
Applicant Address : Unit E, 12/F, Ford Glory Plaza, No. 37-39 Wing Hong Street,  
Cheung Sha Wan, Kowloon, Hong Kong  
Project Name : Hung Shui Kiu/Ha Tsuen New Development Area Stage 1 Works  
Test Required : Total Suspended Solids (TSS)  
Sampling Date : 28/12/2022  
Date Samples Received : 28/12/2022  
Sample Nature : Wastewater  
Number of Samples Received : 12  
Condition Received : Sample(s) arrived laboratory in chilled condition  
Type of Container : HDPE Plastic Bottles  
Laboratory ID : R222077/1 – 12  
Test Period : 28/12/2022 – 29/12/2022  
Method Used : APHA 23ed 2540D for Total Suspended Solids  
  
Test Result : Refer to the results on page 2 – 3.

*For and on behalf of*

Acumen Laboratory and Testing Limited

Authorized Signature :

  
Hui Wai Fung, Huntington

Laboratory Manager

Chemical and Microbiological Division

### Test Report

Page 2 of 3

Report Number : Q220003aR222077  
Job Number : R222077  
Issue Date : 04/01/2023

### Test Result:

Lab ID	Sampling Date	Client Sample ID	Total Suspended Solids (TSS), mg/L
R222077/1	28/12/2022	U2	1.6
R222077/2	28/12/2022	U2#	1.7
R222077/3	28/12/2022	U1	3.4
R222077/4	28/12/2022	U1#	3.7
R222077/5	28/12/2022	SW	5.9
R222077/6	28/12/2022	SW#	5.8
R222077/7	28/12/2022	HT	4.1
R222077/8	28/12/2022	HT#	3.9
R222077/9	28/12/2022	TKW1	2.2
R222077/10	28/12/2022	TKW1#	2.4
R222077/11	28/12/2022	TKW	3.1
R222077/12	28/12/2022	TKW#	3.3

### Test Report

Page 3 of 3

Report Number : Q220003aR222077  
Job Number : R222077  
Issue Date : 04/01/2023

Note:

1. mg/L indicates milligram per liter
2. < indicates less than.
3. Reporting limit is 2.5mg/L for 1L sample
4. Reporting limit is 1 mg/L for 2.5L sample
5. Applicant name, applicant address, project name, sampling date, sample ID and sample nature are provided by applicant.
6. The result(s) relate only to the item(s) tested.
7. The result(s) are applied only to the sample(s) received.

\*\*\*End of Report\*\*\*

### Test Report


Page 1 of 3

Report Number : Q220003aR222089  
Job Number : R222089  
Issue Date : 09/01/2023  
Applicant Name : Acuity Sustainability Consulting Limited  
Applicant Address : Unit E, 12/F, Ford Glory Plaza, No. 37-39 Wing Hong Street,  
Cheung Sha Wan, Kowloon, Hong Kong  
Project Name : Hung Shui Kiu/Ha Tsuen New Development Area Stage 1 Works  
Test Required : Total Suspended Solids (TSS)  
Sampling Date : 30/12/2022  
Date Samples Received : 30/12/2022  
Sample Nature : Wastewater  
Number of Samples Received : 12  
Condition Received : Sample(s) arrived laboratory in chilled condition  
Type of Container : HDPE Plastic Bottles  
Laboratory ID : R222089/1 – 12  
Test Period : 30/12/2022 – 31/12/2022  
Method Used : APHA 23ed 2540D for Total Suspended Solids  
  
Test Result : Refer to the results on page 2 – 3.

*For and on behalf of*

Acumen Laboratory and Testing Limited

Authorized Signature :

  
Hui Wai Fung, Huntington

Laboratory Manager

Chemical and Microbiological Division

### Test Report

Page 2 of 3

Report Number : Q220003aR222089  
Job Number : R222089  
Issue Date : 09/01/2023

### Test Result:

Lab ID	Sampling Date	Client Sample ID	Total Suspended Solids (TSS), mg/L
R222089/1	30/12/2022	U2	1.9
R222089/2	30/12/2022	U2#	1.7
R222089/3	30/12/2022	U1	2.2
R222089/4	30/12/2022	U1#	2.3
R222089/5	30/12/2022	SW	<1
R222089/6	30/12/2022	SW#	<1
R222089/7	30/12/2022	HT	4.8
R222089/8	30/12/2022	HT#	5.0
R222089/9	30/12/2022	TKW1	11
R222089/10	30/12/2022	TKW1#	12
R222089/11	30/12/2022	TKW	7.1
R222089/12	30/12/2022	TKW#	7.6

### Test Report

Page 3 of 3

Report Number : Q220003aR222089

Job Number : R222089

Issue Date : 09/01/2023

**Note:**

1. mg/L indicates milligram per liter
2. < indicates less than.
3. Reporting limit is 2.5mg/L for 1L sample
4. Reporting limit is 1 mg/L for 2.5L sample
5. Applicant name, applicant address, project name, sampling date, sample ID and sample nature are provided by applicant.
6. The result(s) relate only to the item(s) tested.
7. The result(s) are applied only to the sample(s) received.

\*\*\*End of Report\*\*\*