

Test Report

Page 1 of 3

Report Number : Q230003aR230933

Job Number : R230933

Issue Date : 07/07/2023

Applicant Name : Acuity Sustainability Consulting Limited

Applicant Address : Unit E, 12/F, Ford Glory Plaza, No. 37-39 Wing Hong Street,
Cheung Sha Wan, Kowloon, Hong Kong

Project Name : Hung Shui Kiu/Ha Tsuen New Development Area Stage 1 Works

Test Required : Total Suspended Solids (TSS)

Sampling Date : 01/07/2023

Date Samples Received : 01/07/2023

Sample Nature : Wastewater

Number of Samples Received : 12

Condition Received : Sample(s) arrived laboratory in chilled condition

Type of Container : HDPE Plastic Bottles

Laboratory ID : R230933/1 – 12

Test Period : 01/07/2023 – 03/07/2023


Method Used : APHA 23ed 2540D for Total Suspended Solids

Test Result : Refer to the results on page 2 - 3.

For and on behalf of

Acumen Laboratory and Testing Limited

Authorized Signature :


Hui Wai Fung, Huntington

Laboratory Manager

Chemical and Microbiological Division

Test Report

Page 2 of 3

Report Number : Q230003aR230933
Job Number : R230933
Issue Date : 07/07/2023

Test Result:

Lab ID	Sampling Date	Client Sample ID	Total Suspended Solids (TSS), mg/L
R230933/1	01/07/2023	U2	1.2
R230933/2	01/07/2023	U2#	1.1
R230933/3	01/07/2023	U1	2.7
R230933/4	01/07/2023	U1#	3.2
R230933/5	01/07/2023	SW	1.8
R230933/6	01/07/2023	SW#	1.9
R230933/7	01/07/2023	HT	1.2
R230933/8	01/07/2023	HT#	1.3
R230933/9	01/07/2023	TKW1	4.3
R230933/10	01/07/2023	TKW1#	3.8
R230933/11	01/07/2023	TKW	2.8
R230933/12	01/07/2023	TKW#	3.1

Test Report

Page 3 of 3

Report Number : Q230003aR230933
Job Number : R230933
Issue Date : 07/07/2023

Note:

1. mg/L indicates milligram per liter
2. < indicates less than.
3. Reporting limit is 2.5mg/L for 1L sample
4. Reporting limit is 1 mg/L for 2.5L sample
5. Applicant name, applicant address, project name, sampling date, sample ID and sample nature are provided by applicant.
6. The result(s) relate only to the item(s) tested.
7. The result(s) are applied only to the sample(s) received.

End of Report

Test Report

Page 1 of 3

Report Number : Q230003aR230934

Job Number : R230934

Issue Date : 10/07/2023

Applicant Name : Acuity Sustainability Consulting Limited

Applicant Address : Unit E, 12/F, Ford Glory Plaza, No. 37-39 Wing Hong Street,
Cheung Sha Wan, Kowloon, Hong Kong

Project Name : Hung Shui Kiu/Ha Tsuen New Development Area Stage 1 Works

Test Required : Total Suspended Solids (TSS)

Sampling Date : 04/07/2023

Date Samples Received : 04/07/2023

Sample Nature : Wastewater

Number of Samples Received : 12

Condition Received : Sample(s) arrived laboratory in chilled condition

Type of Container : HDPE Plastic Bottles

Laboratory ID : R230934/1 – 12

Test Period : 04/07/2023 – 05/07/2023


Method Used : APHA 23ed 2540D for Total Suspended Solids

Test Result : Refer to the results on page 2 - 3.

For and on behalf of

Acumen Laboratory and Testing Limited

Authorized Signature :


Hui Wai Fung, Huntington

Laboratory Manager

Chemical and Microbiological Division

Test Report

Page 2 of 3

Report Number : Q230003aR230934
Job Number : R230934
Issue Date : 10/07/2023

Test Result:

Lab ID	Sampling Date	Client Sample ID	Total Suspended Solids (TSS), mg/L
R230934/1	04/07/2023	U2	1.7
R230934/2	04/07/2023	U2#	1.9
R230934/3	04/07/2023	U1	2.8
R230934/4	04/07/2023	U1#	3.3
R230934/5	04/07/2023	SW	3.4
R230934/6	04/07/2023	SW#	3.2
R230934/7	04/07/2023	HT	3.5
R230934/8	04/07/2023	HT#	3.6
R230934/9	04/07/2023	TKW1	5.4
R230934/10	04/07/2023	TKW1#	5.5
R230934/11	04/07/2023	TKW	4.9
R230934/12	04/07/2023	TKW#	4.2

Test Report

Page 3 of 3

Report Number : Q230003aR230934
Job Number : R230934
Issue Date : 10/07/2023

Note:

1. mg/L indicates milligram per liter
2. < indicates less than.
3. Reporting limit is 2.5mg/L for 1L sample
4. Reporting limit is 1 mg/L for 2.5L sample
5. Applicant name, applicant address, project name, sampling date, sample ID and sample nature are provided by applicant.
6. The result(s) relate only to the item(s) tested.
7. The result(s) are applied only to the sample(s) received.

End of Report

Test Report

Page 1 of 3

Report Number : Q230003aR230954

Job Number : R230954

Issue Date : 13/07/2023

Applicant Name : Acuity Sustainability Consulting Limited

Applicant Address : Unit E, 12/F, Ford Glory Plaza, No. 37-39 Wing Hong Street,
Cheung Sha Wan, Kowloon, Hong Kong

Project Name : Hung Shui Kiu/Ha Tsuen New Development Area Stage 1 Works

Test Required : Total Suspended Solids (TSS)

Sampling Date : 06/07/2023

Date Samples Received : 06/07/2023

Sample Nature : Wastewater

Number of Samples Received : 12

Condition Received : Sample(s) arrived laboratory in chilled condition

Type of Container : HDPE Plastic Bottles

Laboratory ID : R230954/1 – 12

Test Period : 06/07/2023 – 07/07/2023


Method Used : APHA 23ed 2540D for Total Suspended Solids

Test Result : Refer to the results on page 2 - 3.

For and on behalf of

Acumen Laboratory and Testing Limited

Authorized Signature :


Hui Wai Fung, Huntington

Laboratory Manager

Chemical and Microbiological Division

Test Report

Page 2 of 3

Report Number : Q230003aR230954
Job Number : R230954
Issue Date : 13/07/2023

Test Result:

Lab ID	Sampling Date	Client Sample ID	Total Suspended Solids (TSS), mg/L
R230954/1	06/07/2023	U2	1.8
R230954/2	06/07/2023	U2#	1.9
R230954/3	06/07/2023	U1	6.2
R230954/4	06/07/2023	U1#	5.7
R230954/5	06/07/2023	SW	4.3
R230954/6	06/07/2023	SW#	4.7
R230954/7	06/07/2023	HT	3.0
R230954/8	06/07/2023	HT#	3.3
R230954/9	06/07/2023	TKW1	4.6
R230954/10	06/07/2023	TKW1#	4.7
R230954/11	06/07/2023	TKW	6.5
R230954/12	06/07/2023	TKW#	6.0

Test Report

Page 3 of 3

Report Number : Q230003aR230954
Job Number : R230954
Issue Date : 13/07/2023

Note:

1. mg/L indicates milligram per liter
2. < indicates less than.
3. Reporting limit is 2.5mg/L for 1L sample
4. Reporting limit is 1 mg/L for 2.5L sample
5. Applicant name, applicant address, project name, sampling date, sample ID and sample nature are provided by applicant.
6. The result(s) relate only to the item(s) tested.
7. The result(s) are applied only to the sample(s) received.

End of Report

Test Report

Page 1 of 3

Report Number : Q230003aR230955

Job Number : R230955

Issue Date : 14/07/2023

Applicant Name : Acuity Sustainability Consulting Limited

Applicant Address : Unit E, 12/F, Ford Glory Plaza, No. 37-39 Wing Hong Street,
Cheung Sha Wan, Kowloon, Hong Kong

Project Name : Hung Shui Kiu/Ha Tsuen New Development Area Stage 1 Works

Test Required : Total Suspended Solids (TSS)

Sampling Date : 08/07/2023

Date Samples Received : 08/07/2023

Sample Nature : Wastewater

Number of Samples Received : 12

Condition Received : Sample(s) arrived laboratory in chilled condition

Type of Container : HDPE Plastic Bottles

Laboratory ID : R230955/1 – 12

Test Period : 08/07/2023 – 10/07/2023


Method Used : APHA 23ed 2540D for Total Suspended Solids

Test Result : Refer to the results on page 2 - 3.

For and on behalf of

Acumen Laboratory and Testing Limited

Authorized Signature :


Hui Wai Fung, Huntington

Laboratory Manager

Chemical and Microbiological Division

Test Report

Page 2 of 3

Report Number : Q230003aR230955
Job Number : R230955
Issue Date : 14/07/2023

Test Result:

Lab ID	Sampling Date	Client Sample ID	Total Suspended Solids (TSS), mg/L
R230955/1	08/07/2023	U2	1.9
R230955/2	08/07/2023	U2#	1.8
R230955/3	08/07/2023	U1	13
R230955/4	08/07/2023	U1#	12
R230955/5	08/07/2023	SW	6.4
R230955/6	08/07/2023	SW#	6.1
R230955/7	08/07/2023	HT	2.2
R230955/8	08/07/2023	HT#	2.2
R230955/9	08/07/2023	TKW1	3.2
R230955/10	08/07/2023	TKW1#	3.7
R230955/11	08/07/2023	TKW	3.9
R230955/12	08/07/2023	TKW#	4.0

Test Report

Page 3 of 3

Report Number : Q230003aR230955
Job Number : R230955
Issue Date : 14/07/2023

Note:

1. mg/L indicates milligram per liter
2. < indicates less than.
3. Reporting limit is 2.5mg/L for 1L sample
4. Reporting limit is 1 mg/L for 2.5L sample
5. Applicant name, applicant address, project name, sampling date, sample ID and sample nature are provided by applicant.
6. The result(s) relate only to the item(s) tested.
7. The result(s) are applied only to the sample(s) received.

End of Report

Test Report

Page 1 of 3

Report Number : Q230003aR230974

Job Number : R230974

Issue Date : 18/07/2023

Applicant Name : Acuity Sustainability Consulting Limited

Applicant Address : Unit E, 12/F, Ford Glory Plaza, No. 37-39 Wing Hong Street,
Cheung Sha Wan, Kowloon, Hong Kong

Project Name : Hung Shui Kiu/Ha Tsuen New Development Area Stage 1 Works

Test Required : Total Suspended Solids (TSS)

Sampling Date : 11/07/2023

Date Samples Received : 11/07/2023

Sample Nature : Wastewater

Number of Samples Received : 12

Condition Received : Sample(s) arrived laboratory in chilled condition

Type of Container : HDPE Plastic Bottles

Laboratory ID : R230974/1 – 12

Test Period : 11/07/2023 – 12/07/2023


Method Used : APHA 23ed 2540D for Total Suspended Solids

Test Result : Refer to the results on page 2 - 3.

For and on behalf of

Acumen Laboratory and Testing Limited

Authorized Signature :


Hui Wai Fung, Huntington

Laboratory Manager

Chemical and Microbiological Division

Test Report

Page 2 of 3

Report Number : Q230003aR230974
Job Number : R230974
Issue Date : 18/07/2023

Test Result:

Lab ID	Sampling Date	Client Sample ID	Total Suspended Solids (TSS), mg/L
R230974/1	11/07/2023	U2	5.9
R230974/2	11/07/2023	U2#	5.1
R230974/3	11/07/2023	U1	3.9
R230974/4	11/07/2023	U1#	3.6
R230974/5	11/07/2023	SW	3.0
R230974/6	11/07/2023	SW#	2.7
R230974/7	11/07/2023	HT	1.7
R230974/8	11/07/2023	HT#	1.9
R230974/9	11/07/2023	TKW1	2.4
R230974/10	11/07/2023	TKW1#	2.5
R230974/11	11/07/2023	TKW	3.0
R230974/12	11/07/2023	TKW#	3.7

Test Report

Page 3 of 3

Report Number : Q230003aR230974
Job Number : R230974
Issue Date : 18/07/2023

Note:

1. mg/L indicates milligram per liter
2. < indicates less than.
3. Reporting limit is 2.5mg/L for 1L sample
4. Reporting limit is 1 mg/L for 2.5L sample
5. Applicant name, applicant address, project name, sampling date, sample ID and sample nature are provided by applicant.
6. The result(s) relate only to the item(s) tested.
7. The result(s) are applied only to the sample(s) received.

End of Report

Test Report

Page 1 of 3

Report Number : Q230003aR230975

Job Number : R230975

Issue Date : 20/07/2023

Applicant Name : Acuity Sustainability Consulting Limited

Applicant Address : Unit E, 12/F, Ford Glory Plaza, No. 37-39 Wing Hong Street,
Cheung Sha Wan, Kowloon, Hong Kong

Project Name : Hung Shui Kiu/Ha Tsuen New Development Area Stage 1 Works

Test Required : Total Suspended Solids (TSS)

Sampling Date : 13/07/2023

Date Samples Received : 13/07/2023

Sample Nature : Wastewater

Number of Samples Received : 12

Condition Received : Sample(s) arrived laboratory in chilled condition

Type of Container : HDPE Plastic Bottles

Laboratory ID : R230975/1 – 12

Test Period : 13/07/2023 – 14/07/2023


Method Used : APHA 23ed 2540D for Total Suspended Solids

Test Result : Refer to the results on page 2 - 3.

For and on behalf of

Acumen Laboratory and Testing Limited

Authorized Signature :


Hui Wai Fung, Huntington

Laboratory Manager

Chemical and Microbiological Division

Test Report

Page 2 of 3

Report Number : Q230003aR230975
Job Number : R230975
Issue Date : 20/07/2023

Test Result:

Lab ID	Sampling Date	Client Sample ID	Total Suspended Solids (TSS), mg/L
R230975/1	13/07/2023	U2	3.9
R230975/2	13/07/2023	U2#	3.7
R230975/3	13/07/2023	U1	3.8
R230975/4	13/07/2023	U1#	3.9
R230975/5	13/07/2023	SW	3.1
R230975/6	13/07/2023	SW#	3.4
R230975/7	13/07/2023	HT	2.1
R230975/8	13/07/2023	HT#	2.5
R230975/9	13/07/2023	TKW1	3.6
R230975/10	13/07/2023	TKW1#	4.3
R230975/11	13/07/2023	TKW	5.1
R230975/12	13/07/2023	TKW#	4.8

Test Report

Page 3 of 3

Report Number : Q230003aR230975
Job Number : R230975
Issue Date : 20/07/2023

Note:

1. mg/L indicates milligram per liter
2. < indicates less than.
3. Reporting limit is 2.5mg/L for 1L sample
4. Reporting limit is 1 mg/L for 2.5L sample
5. Applicant name, applicant address, project name, sampling date, sample ID and sample nature are provided by applicant.
6. The result(s) relate only to the item(s) tested.
7. The result(s) are applied only to the sample(s) received.

End of Report

Test Report

Page 1 of 3

Report Number : Q230003aR231006

Job Number : R231006

Issue Date : 21/07/2023

Applicant Name : Acuity Sustainability Consulting Limited

Applicant Address : Unit E, 12/F, Ford Glory Plaza, No. 37-39 Wing Hong Street,
Cheung Sha Wan, Kowloon, Hong Kong

Project Name : Hung Shui Kiu/Ha Tsuen New Development Area Stage 1 Works

Test Required : Total Suspended Solids (TSS)

Sampling Date : 15/07/2023

Date Samples Received : 15/07/2023

Sample Nature : Wastewater

Number of Samples Received : 12

Condition Received : Sample(s) arrived laboratory in chilled condition

Type of Container : HDPE Plastic Bottles

Laboratory ID : R231006/1 – 12

Test Period : 15/07/2023 – 17/07/2023


Method Used : APHA 23ed 2540D for Total Suspended Solids

Test Result : Refer to the results on page 2 - 3.

For and on behalf of

Acumen Laboratory and Testing Limited

Authorized Signature :



Hui Wai Fung, Huntington
Laboratory Manager
Chemical and Microbiological Division

Test Report

Page 2 of 3

Report Number : Q230003aR231006

Job Number : R231006

Issue Date : 21/07/2023

Test Result:

Lab ID	Sampling Date	Client Sample ID	Total Suspended Solids (TSS), mg/L
R231006/1	15/07/2023	U2	2.5
R231006/2	15/07/2023	U2#	2.8
R231006/3	15/07/2023	U1	3.4
R231006/4	15/07/2023	U1#	3.3
R231006/5	15/07/2023	SW	9.4
R231006/6	15/07/2023	SW#	8.8
R231006/7	15/07/2023	HT	3.2
R231006/8	15/07/2023	HT#	2.8
R231006/9	15/07/2023	TKW1	5.7
R231006/10	15/07/2023	TKW1#	6.3
R231006/11	15/07/2023	TKW	4.0
R231006/12	15/07/2023	TKW#	4.6

Test Report

Page 3 of 3

Report Number : Q230003aR231006
Job Number : R231006
Issue Date : 21/07/2023

Note:

1. mg/L indicates milligram per liter
2. < indicates less than.
3. Reporting limit is 2.5mg/L for 1L sample
4. Reporting limit is 1 mg/L for 2.5L sample
5. Applicant name, applicant address, project name, sampling date, sample ID and sample nature are provided by applicant.
6. The result(s) relate only to the item(s) tested.
7. The result(s) are applied only to the sample(s) received.

End of Report

Test Report

Page 1 of 2

Report Number : Q230003aR231007

Job Number : R231007

Issue Date : 21/07/2023

Applicant Name : Acuity Sustainability Consulting Limited

Applicant Address : Unit E, 12/F, Ford Glory Plaza, No. 37-39 Wing Hong Street,
Cheung Sha Wan, Kowloon, Hong Kong

Project Name : Hung Shui Kiu/Ha Tsuen New Development Area Stage 1 Works

Test Required : Total Suspended Solids (TSS)

Sampling Date : 18/07/2023

Date Samples Received : 18/07/2023

Sample Nature : Wastewater

Number of Samples Received : 10

Condition Received : Sample(s) arrived laboratory in chilled condition

Type of Container : HDPE Plastic Bottles

Laboratory ID : R231007/1 – 10

Test Period : 18/07/2023 – 19/07/2023

Method Used : APHA 23ed 2540D for Total Suspended Solids

Test Result : Refer to the results on page 2.

For and on behalf of

Acumen Laboratory and Testing Limited

Authorized Signature :



Hui Wai Fung, Huntington

Laboratory Manager

Chemical and Microbiological Division

Test Report

Page 2 of 2

Report Number : Q230003aR231007
Job Number : R231007
Issue Date : 21/07/2023

Test Result:

Lab ID	Sampling Date	Client Sample ID	Total Suspended Solids (TSS), mg/L
R231007/1	18/07/2023	U2	3.6
R231007/2	18/07/2023	U2#	4.0
R231007/3	18/07/2023	SW	4.7
R231007/4	18/07/2023	SW#	5.0
R231007/5	18/07/2023	HT	2.9
R231007/6	18/07/2023	HT#	2.8
R231007/7	18/07/2023	TKW1	47
R231007/8	18/07/2023	TKW1#	41
R231007/9	18/07/2023	TKW	41
R231007/10	18/07/2023	TKW#	48

Note:

1. mg/L indicates milligram per liter
2. < indicates less than.
3. Reporting limit is 2.5mg/L for 1L sample
4. Reporting limit is 1 mg/L for 2.5L sample
5. Applicant name, applicant address, project name, sampling date, sample ID and sample nature are provided by applicant.
6. The result(s) relate only to the item(s) tested.
7. The result(s) are applied only to the sample(s) received.

End of Report

Test Report

Page 1 of 2

Report Number : Q230003aR231038

Job Number : R231038

Issue Date : 27/07/2023

Applicant Name : Acuity Sustainability Consulting Limited

Applicant Address : Unit E, 12/F, Ford Glory Plaza, No. 37-39 Wing Hong Street,
Cheung Sha Wan, Kowloon, Hong Kong

Project Name : Hung Shui Kiu/Ha Tsuen New Development Area Stage 1 Works

Test Required : Total Suspended Solids (TSS)

Sampling Date : 20/07/2023

Date Samples Received : 20/07/2023

Sample Nature : Wastewater

Number of Samples Received : 10

Condition Received : Sample(s) arrived laboratory in chilled condition

Type of Container : HDPE Plastic Bottles

Laboratory ID : R231038/1 – 10

Test Period : 20/07/2023 – 21/07/2023


Method Used : APHA 23ed 2540D for Total Suspended Solids

Test Result : Refer to the results on page 2.

For and on behalf of

Acumen Laboratory and Testing Limited

Authorized Signature :


Hui Wai Fung, Huntington

Laboratory Manager

Chemical and Microbiological Division

Acumen Laboratory and Testing Limited

Flat/Rm D, 12/F, Ford Glory Plaza, Nos. 37-39 Wing Hong Street, Cheung Sha Wan, Kowloon, Hong Kong
Tel: (852) 2333 6823 Fax: (852) 2333 1316

HOKLAS 241
TEST

Test Report

Page 2 of 2

Report Number : Q230003aR231038
Job Number : R231038
Issue Date : 27/07/2023

Test Result:

Lab ID	Sampling Date	Client Sample ID	Total Suspended Solids (TSS), mg/L
R231038/1	20/07/2023	U2	2.0
R231038/2	20/07/2023	U2#	1.7
R231038/3	20/07/2023	SW	7.2
R231038/4	20/07/2023	SW#	6.3
R231038/5	20/07/2023	HT	3.4
R231038/6	20/07/2023	HT#	2.8
R231038/7	20/07/2023	TKW1	5.6
R231038/8	20/07/2023	TKW1#	5.8
R231038/9	20/07/2023	TKW	9.5
R231038/10	20/07/2023	TKW#	8.2

Note:

1. mg/L indicates milligram per liter
2. < indicates less than.
3. Reporting limit is 2.5mg/L for 1L sample
4. Reporting limit is 1 mg/L for 2.5L sample
5. Applicant name, applicant address, project name, sampling date, sample ID and sample nature are provided by applicant.
6. The result(s) relate only to the item(s) tested.
7. The result(s) are applied only to the sample(s) received.

End of Report

Test Report

Page 1 of 2

Report Number : Q230003aR231078

Job Number : R231078

Issue Date : 28/07/2023

Applicant Name : Acuity Sustainability Consulting Limited

Applicant Address : Unit E, 12/F, Ford Glory Plaza, No. 37-39 Wing Hong Street,
Cheung Sha Wan, Kowloon, Hong Kong

Project Name : Hung Shui Kiu/Ha Tsuen New Development Area Stage 1 Works

Test Required : Total Suspended Solids (TSS)

Sampling Date : 22/07/2023

Date Samples Received : 22/07/2023

Sample Nature : Wastewater

Number of Samples Received : 10

Condition Received : Sample(s) arrived laboratory in chilled condition

Type of Container : HDPE Plastic Bottles

Laboratory ID : R231078/1 – 10

Test Period : 22/07/2023 – 24/07/2023


Method Used : APHA 23ed 2540D for Total Suspended Solids

Test Result : Refer to the results on page 2.

For and on behalf of

Acumen Laboratory and Testing Limited

Authorized Signature :


Hui Wai Fung, Huntington

Laboratory Manager

Chemical and Microbiological Division

Test Report

Page 2 of 2

Report Number : Q230003aR231078
Job Number : R231078
Issue Date : 28/07/2023

Test Result:

Lab ID	Sampling Date	Client Sample ID	Total Suspended Solids (TSS), mg/L
R231078/1	22/07/2023	U2	2.2
R231078/2	22/07/2023	U2#	2.1
R231078/3	22/07/2023	SW	7.2
R231078/4	22/07/2023	SW#	7.6
R231078/5	22/07/2023	HT	4.5
R231078/6	22/07/2023	HT#	3.2
R231078/7	22/07/2023	TKW1	3.2
R231078/8	22/07/2023	TKW1#	3.3
R231078/9	22/07/2023	TKW	2.5
R231078/10	22/07/2023	TKW#	3.1

Note:

1. mg/L indicates milligram per liter
2. < indicates less than.
3. Reporting limit is 2.5mg/L for 1L sample
4. Reporting limit is 1 mg/L for 2.5L sample
5. Applicant name, applicant address, project name, sampling date, sample ID and sample nature are provided by applicant.
6. The result(s) relate only to the item(s) tested.
7. The result(s) are applied only to the sample(s) received.

End of Report

Test Report

Page 1 of 2

Report Number : Q230003aR231079

Job Number : R231079

Issue Date : 28/07/2023

Applicant Name : Acuity Sustainability Consulting Limited

Applicant Address : Unit E, 12/F, Ford Glory Plaza, No. 37-39 Wing Hong Street,
Cheung Sha Wan, Kowloon, Hong Kong

Project Name : Hung Shui Kiu/Ha Tsuen New Development Area Stage 1 Works

Test Required : Total Suspended Solids (TSS)

Sampling Date : 24/07/2023

Date Samples Received : 24/07/2023

Sample Nature : Wastewater

Number of Samples Received : 10

Condition Received : Sample(s) arrived laboratory in chilled condition

Type of Container : HDPE Plastic Bottles

Laboratory ID : R231079/1 – 10

Test Period : 24/07/2023 – 25/07/2023


Method Used : APHA 23ed 2540D for Total Suspended Solids

Test Result : Refer to the results on page 2.

For and on behalf of

Acumen Laboratory and Testing Limited

Authorized Signature :


Hui Wai Fung, Huntington

Laboratory Manager

Chemical and Microbiological Division

Test Report

Page 2 of 2

Report Number : Q230003aR231079
Job Number : R231079
Issue Date : 28/07/2023

Test Result:

Lab ID	Sampling Date	Client Sample ID	Total Suspended Solids (TSS), mg/L
R231079/1	24/07/2023	U2	1.7
R231079/2	24/07/2023	U2#	1.1
R231079/3	24/07/2023	SW	4.4
R231079/4	24/07/2023	SW#	4.2
R231079/5	24/07/2023	HT	9.4
R231079/6	24/07/2023	HT#	8.4
R231079/7	24/07/2023	TKW1	3.1
R231079/8	24/07/2023	TKW1#	3.3
R231079/9	24/07/2023	TKW	3.8
R231079/10	24/07/2023	TKW#	3.4

Note:

1. mg/L indicates milligram per liter
2. < indicates less than.
3. Reporting limit is 2.5mg/L for 1L sample
4. Reporting limit is 1 mg/L for 2.5L sample
5. Applicant name, applicant address, project name, sampling date, sample ID and sample nature are provided by applicant.
6. The result(s) relate only to the item(s) tested.
7. The result(s) are applied only to the sample(s) received.

End of Report

Test Report

Page 1 of 2

Report Number : Q230003aR231080

Job Number : R231080

Issue Date : 02/08/2023

Applicant Name : Acuity Sustainability Consulting Limited

Applicant Address : Unit E, 12/F, Ford Glory Plaza, No. 37-39 Wing Hong Street,
Cheung Sha Wan, Kowloon, Hong Kong

Project Name : Hung Shui Kiu/Ha Tsuen New Development Area Stage 1 Works

Test Required : Total Suspended Solids (TSS)

Sampling Date : 26/07/2023

Date Samples Received : 26/07/2023

Sample Nature : Wastewater

Number of Samples Received : 10

Condition Received : Sample(s) arrived laboratory in chilled condition

Type of Container : HDPE Plastic Bottles

Laboratory ID : R231080/1 – 10

Test Period : 26/07/2023 – 27/07/2023


Method Used : APHA 23ed 2540D for Total Suspended Solids

Test Result : Refer to the results on page 2.

For and on behalf of

Acumen Laboratory and Testing Limited

Authorized Signature :


Hui Wai Fung, Huntington

Laboratory Manager

Chemical and Microbiological Division

Test Report

Page 2 of 2

Report Number : Q230003aR231080
Job Number : R231080
Issue Date : 02/08/2023

Test Result:

Lab ID	Sampling Date	Client Sample ID	Total Suspended Solids (TSS), mg/L
R231080/1	26/07/2023	U2	2.0
R231080/2	26/07/2023	U2#	2.2
R231080/3	26/07/2023	SW	1.2
R231080/4	26/07/2023	SW#	1.8
R231080/5	26/07/2023	HT	1.1
R231080/6	26/07/2023	HT#	<1
R231080/7	26/07/2023	TKW1	1.9
R231080/8	26/07/2023	TKW1#	1.8
R231080/9	26/07/2023	TKW	2.0
R231080/10	26/07/2023	TKW#	2.1

Note:

1. mg/L indicates milligram per liter
2. < indicates less than.
3. Reporting limit is 2.5mg/L for 1L sample
4. Reporting limit is 1 mg/L for 2.5L sample
5. Applicant name, applicant address, project name, sampling date, sample ID and sample nature are provided by applicant.
6. The result(s) relate only to the item(s) tested.
7. The result(s) are applied only to the sample(s) received.

End of Report

Test Report

Page 1 of 2

Report Number : Q230003aR231104

Job Number : R231104

Issue Date : 03/08/2023

Applicant Name : Acuity Sustainability Consulting Limited

Applicant Address : Unit E, 12/F, Ford Glory Plaza, No. 37-39 Wing Hong Street,
Cheung Sha Wan, Kowloon, Hong Kong

Project Name : Hung Shui Kiu/Ha Tsuen New Development Area Stage 1 Works

Test Required : Total Suspended Solids (TSS)

Sampling Date : 28/07/2023

Date Samples Received : 28/07/2023

Sample Nature : Wastewater

Number of Samples Received : 10

Condition Received : Sample(s) arrived laboratory in chilled condition

Type of Container : HDPE Plastic Bottles

Laboratory ID : R231104/1 – 10

Test Period : 28/07/2023 – 29/07/2023


Method Used : APHA 23ed 2540D for Total Suspended Solids

Test Result : Refer to the results on page 2.

For and on behalf of

Acumen Laboratory and Testing Limited

Authorized Signature :



Hui Wai Fung, Huntington
Laboratory Manager
Chemical and Microbiological Division

Test Report

Page 2 of 2

Report Number : Q230003aR231104

Job Number : R231104

Issue Date : 03/08/2023

Test Result:

Lab ID	Sampling Date	Client Sample ID	Total Suspended Solids (TSS), mg/L
R231104/1	28/07/2023	U2	2.6
R231104/2	28/07/2023	U2#	3.1
R231104/3	28/07/2023	SW	7.8
R231104/4	28/07/2023	SW#	9.5
R231104/5	28/07/2023	HT	1.8
R231104/6	28/07/2023	HT#	2.1
R231104/7	28/07/2023	TKW1	2.0
R231104/8	28/07/2023	TKW1#	2.6
R231104/9	28/07/2023	TKW	2.4
R231104/10	28/07/2023	TKW#	2.1

Note:

1. mg/L indicates milligram per liter
2. < indicates less than.
3. Reporting limit is 2.5mg/L for 1L sample
4. Reporting limit is 1 mg/L for 2.5L sample
5. Applicant name, applicant address, project name, sampling date, sample ID and sample nature are provided by applicant.
6. The result(s) relate only to the item(s) tested.
7. The result(s) are applied only to the sample(s) received.

End of Report

Test Report

Page 1 of 2

Report Number : Q230003aR231105

Job Number : R231105

Issue Date : 04/08/2023

Applicant Name : Acuity Sustainability Consulting Limited

Applicant Address : Unit E, 12/F, Ford Glory Plaza, No. 37-39 Wing Hong Street,
Cheung Sha Wan, Kowloon, Hong Kong

Project Name : Hung Shui Kiu/Ha Tsuen New Development Area Stage 1 Works

Test Required : Total Suspended Solids (TSS)

Sampling Date : 31/07/2023

Date Samples Received : 31/07/2023

Sample Nature : Wastewater

Number of Samples Received : 10

Condition Received : Sample(s) arrived laboratory in chilled condition

Type of Container : HDPE Plastic Bottles

Laboratory ID : R231105/1 – 10

Test Period : 31/07/2023 – 01/08/2023


Method Used : APHA 23ed 2540D for Total Suspended Solids

Test Result : Refer to the results on page 2.

For and on behalf of

Acumen Laboratory and Testing Limited

Authorized Signature :


Hui Wai Fung, Huntington

Laboratory Manager

Chemical and Microbiological Division

Test Report

Page 2 of 2

Report Number : Q230003aR231105
Job Number : R231105
Issue Date : 04/08/2023

Test Result:

Lab ID	Sampling Date	Client Sample ID	Total Suspended Solids (TSS), mg/L
R231105/1	31/07/2023	U2	<1
R231105/2	31/07/2023	U2#	<1
R231105/3	31/07/2023	SW	<1
R231105/4	31/07/2023	SW#	<1
R231105/5	31/07/2023	HT	2.0
R231105/6	31/07/2023	HT#	1.6
R231105/7	31/07/2023	TKW1	2.9
R231105/8	31/07/2023	TKW1#	2.8
R231105/9	31/07/2023	TKW	1.4
R231105/10	31/07/2023	TKW#	1.7

Note:

1. mg/L indicates milligram per liter
2. < indicates less than.
3. Reporting limit is 2.5mg/L for 1L sample
4. Reporting limit is 1 mg/L for 2.5L sample
5. Applicant name, applicant address, project name, sampling date, sample ID and sample nature are provided by applicant.
6. The result(s) relate only to the item(s) tested.
7. The result(s) are applied only to the sample(s) received.

End of Report